



Glacial striae observations for Ireland compiled from historic records

MIKE J. SMITH¹, JASPER KNIGHT² and KENNETH S. FIELD³

¹Centre for Earth and Environmental Science Research, Kingston University, Penrhyn Road, Kingston-upon-Thames, Surrey, KT1 2EE, UK; michael.smith@kingston.ac.uk

²Department of Geography, University of Exeter, Cornwall Campus, Penryn, Cornwall, TR10 9EZ, UK;

³Centre for GIS, Kingston University, Penrhyn Road, Kingston-upon-Thames, Surrey, KT1 2EE, UK;

Secondary Author(s): Samantha Harrison, Planetary and Space Sciences Research Institute, The Open University, Walton Hall, Milton Keynes, MK7 6AA, UK.

(Received 5th August 2008; Revised 14th October 2008; Accepted 17th October 2008)

Abstract: Glacial landform mapping is one of the primary inputs for the reconstruction of past glacial environments and processes, potentially inferring maximum ice sheet extent and dynamics. Depositional landforms (e.g. drumlins, end moraines, ribbed moraines, eskers) are often used to infer former ice sheet conditions, with erosional indicators receiving less attention. For nearly 200 years, striae (linear, subglacial erosional marks on bedrock up to several metres long) have been recorded as evidence for former ice flow direction. Cumulative data collection by many researchers in Ireland since ~1850 has led to a large published and unpublished archive of striae observations. This research has collated over 5000 individual observations from Geological Survey of Ireland maps and memoirs, the published (peer-reviewed) literature, and unpublished work (theses and fieldnotes). These records are now unified in a single database, georeferenced to the Irish National Grid, with the accuracy of individual observations qualitatively assessed.



1. Introduction

Landform mapping has been a primary method of data collection across the spectrum of earth sciences. These include, for example, hard rock geology (e.g. [Gold et al., 1973](#)), glaciology (e.g. [Wright, 1912](#); [Welch and Howarth, 1968](#)), hydrology (e.g. [Hooke et al., 1994](#)), hillslope geomorphology (e.g. [Evans, 1977](#)), planetary geology (e.g. [Baker, 1981](#)), volcanology (e.g. [Thouret, 1999](#)) and coastal geomorphology (e.g. [Chandler and Brunsten, 1995](#)). Landforms can be mapped directly in the field, although this is now augmented with remotely sensed data, meaning that larger areas can be mapped, at different scales, by fewer people and in less time (e.g. [Clark, 1997](#)).

Research programs that have employed remotely-sensed data have often mapped glacial landforms ranging from several hundreds of metres to several kilometres in dimension, such as drumlins, end and ribbed moraines, and eskers ([Welch and Howarth, 1968](#); [Ford, 1984](#)). Assumptions of former ice sheet dynamics based upon landform dimensions and properties (e.g. [Kleman and Borgström, 1996](#)) allow tentative reconstructions of the extent and dynamics of former ice sheets (e.g. [Clark and Meehan, 2001](#)). In particular, it is possible to reconstruct ice flow direction and changes in flow regime (including subglacial thermal and hydrological conditions). Striae observations have previously been incorporated into palaeo-ice sheet reconstructions ([Kleman, 1990](#)), however observations are often widely distributed, with limited areal coverage. Whilst striae are rarely used for ice sheet reconstructions over large areas, where a high density of observations exist they have great potential to aid the regional inference of ice sheet flow regime because they are direct measures of basal ice flow direction. In addition, because they are the result of erosional processes, they are often mutually exclusive with respect to depositional indicators of ice flow (e.g. eskers), and their spatial patterns are therefore complementary. The age of formation of striae is also an important limitation in their use in ice sheet reconstruction, but this lies outside the scope of the present paper.

Much of the early work of the Geological Survey of Ireland (GSI) involved the mapping of both hard rock and surficial geologies ([Warren and Horton, 1991](#)). In particular, extensive suites of both erosional and depositional glacial landforms inspired detailed and extensive field mapping and observation, although this was not a mandatory requirement and was often ignored in some areas, depending on the mapper's own interests. The

results of this mapping were presented in the First Series (1"-scale) geological map sheets, published principally between 1860 and 1890. The geological memoirs accompanying the map sheets contained further detail and, in many instances, tabulated field observations, including striae.

This paper presents the first compilation of over 5000 historic striae observations, and is accompanied by the "raw" source data, for the island of Ireland (covering $\sim 84,000$ km²), principally based upon the memoirs accompanying the First Series geological map sheets, but also including published (peer-reviewed journal articles and reports) and unpublished (field notes, theses) observations.

2. Methods

The principal data source for this research was tabulated striae observations contained within memoirs accompanying the First Series GSI map sheets (e.g. Kinahan et al., 1871). Memoirs that contain striae observations are not equally distributed around the island, in part due to the diligence and experience of individual field geologists. However it should also be noted that striae are most clearly recorded on bedrock substrates, which are generally more exposed in the west of Ireland, with central and eastern regions having a thicker till cover. Opportunities for striae observations were therefore more limited in these latter areas. As a final note, some observations also record overprinting (or cross-cutting) of different striae sets and the relative ages of these different sets were often noted.

The information recorded in tables contained within memoirs varies, depending upon the individual geologist with at least the general location, orientation and a detailed description listed. By 1837 the Ordnance Survey had completed First Series topographic mapping of the country at the Six Inch scale (1:10,560) and these maps were principally used by the field geologists to identify likely sites where striae would be found. Indeed many of the tables record the county, sheet number, quadrant and townland that the observations fall within. However the map projections used were not consistent and varied between counties. The simplest and most effective method of transcribing the location of striae in this project involved locating the observation on an original Six Inch map sheet, identifying the same point on a modern 1:50,000 Ordnance Survey of Ireland map sheet,

and recording a 12 figure grid reference in Irish National Grid co-ordinates.

Since the completion of this striae database the GSI have made freely available digital copies of the original Six Inch fieldsheets (<http://www.gsi.ie>). These are Six Inch Series sheets that have been hand-annotated by the GSI officers, including noting the location and orientation of striae. Whilst these contain a large amount of information, they also represent a huge dataset with ~70 sheets required to cover a single One Inch map sheet. Further discussion is presented below.

In transcribing striae records or data, it was also evident that descriptions of locations in the original source had different levels of locational accuracy. A subjective assessment of this accuracy was recorded on a scale from 1 to 6, ranging from the most accurate (value of 1, where a full grid reference or precise identifiable location is given) to least accurate (value of 6, where only a general area is known). The qualitative accuracy scale notionally corresponds to approximate accuracies of 1 m (value of 1), 10 m, 100 m, 1 km, 10 km and unknown (value of 6).

For the GSI memoirs, orientation was usually recorded with reference to cardinal points on a compass (rather than in degrees), generally to within 5°. Thus a value of 035° could be recorded as N35E in the memoirs, but the notation can be utilised with respect to each of the four cardinal points and so 035° could also be recorded as E55N. This has added some complexity to the interpretation of the original observations.

In addition to the GSI memoirs, striae were transcribed directly from the First Series geological maps ([Geological Survey of Ireland, 1869-1890](#)). There is undoubtedly duplication between these two data sets; however there are fewer observations recorded on the maps than in the memoirs and these are often in different locations. Both sets have therefore been included for completeness and the database can distinguish between these different data sources.

Striae observations taken directly from the published literature vary in presentation of results. Some articles provide full grid references (e.g. [Meehan, 1999](#)), whilst others have outline maps marking striae locations (e.g. [Wright, 1912](#)). In addition to peer-reviewed articles in academic journals, PhD and MSc theses were also consulted. Included in this latter category are modern observations from the GSI which formed part of a Quaternary, county based, mapping program structured through a series of

<i>Layer</i>	<i>Description</i>
Striae: non directional	non-directional striae observations where a preferred orientation is determined, but not a direction
Striae: directional	direction striae observations where a preferred orientation and direction is determined
Striae: high accuracy	striae observations with a locational accuracy of 1, 2 or 3
Striae: low accuracy	striae observations with a locational accuracy of 4, 5 or 6
Striae: GIS data	modern GSI striae observations
Striae: literature data	striae observations from the published and unpublished literature
Striae: map data	striae observations from the First Series geological maps
Striae: memoir data	striae observations from the GSI memoirs
Striae: all data	all striae observations

Table 1. List of data layers available for manipulation within the Acrobat PDF map.

PhD projects ([Geological Survey of Ireland, 2007](#)).

All observational data were collated in a relational database comprising six components:

- 12-figure Irish National Grid reference
- the source of the record (full bibliographic reference)
- orientation of striae observed at this location
- presence and orientation of any cross-cutting striae, including any observations on their relative age
- locational accuracy of the record
- elevation (m OD Dublin)

The records were then imported into ESRI ArcGIS for production of the final map. The base map was constructed from a relief shaded digital elevation model (Shuttle Radar Topography Mission; <http://www2.jpl.nasa.gov/srtm/>), hydrographic data comprising lakes and rivers (Digital Chart of the World; <http://www.maproom.psu.edu/dcw/>) and a coastal outline (University of Ulster, Coleraine, UK). The final map is a GeoPDF, retaining the map coordinate system and therefore allowing measurements to be made. The layers tab within Acrobat allows access to themed layers which can be switched on and off (Table 1).

3. Results

Striae observation coverage of Ireland is extensive, however it is far from uniform. Areas of dense observations are to be found in the west (County Connemara), north-west (County Donegal) and north-east (County Down) of the island. Additional clusters can also be noted on mountain blocks in the east (County Wicklow) and south-west (County Kerry). All these regions are either bedrock scoured (County Connemara) or mountainous and therefore have little surficial cover. Other areas with observations are predominantly coastal (e.g. mouth of the River Shannon). Note the almost complete lack of observations in the central and southern areas of the island. These data are currently being used to reconstruct ice flow patterns during the late Devensian, and will be reported upon separately.

Individual records were collated from (approximate number in brackets):

- GSI memoirs (2300)
- Geological Survey maps (1400)
- Published and unpublished literature (600)
- Modern GSI observations (700)

The database therefore totals around 5000 individual striae measurements, although there is some duplication of individual records between sources. Here we present the complete data set for Ireland showing the positions and orientations of striae that most likely date from the last (late Devensian) glaciation (~25,000-13,000 BP).

4. Discussion

In order to test the appropriateness of striae observations annotated on the Six Inch map sheets, 72 individual sheets covering the same area as sheet 104 of the One Inch Series were downloaded from the GSI and mosaiced together. Individual striae observations were digitized and their orientation noted. A total of 407 striae observations was present on the Six Inch map

sheets, and 430 noted in the memoirs. Figure 1 shows rose diagrams for these two datasets, highlighting their close similarity. We believe that the tabulated data from the memoirs are based upon the direct field observations that were subsequently annotated on to the Six Inch Map sheets. These two datasets should therefore be identical, however it is likely that transcription on to the map sheets has introduced positional errors, as well as the possibility of missing records. We have therefore not incorporated any Six Inch map sheet measurements in to this database.




Figure 1. Rose diagrams of striae orientation for the area covered by sheet 104 of the One Inch Geological Map Series. Note the close similarity between striae recorded on the Six Inch Map sheets and in the Memoirs accompanying the One Inch Map sheet.

It is important to note that there are limitations to the data related to, firstly, the accuracy of the source data and, secondly, the transcription and presentation process. As noted above, striae observations have been recorded from tabulated data in the published memoirs and directly from the First Series Geological map sheets. The data are not directly comparable as cross-checking has demonstrated fewer observations from map sheets, often in different locations to the memoirs. However they almost certainly contain duplication. Additionally, the accuracy of striae location (in planform) is also variable; this has been assessed qualitatively, suggesting that 53% are accurate to <10 m and 88% are accurate to at least ~100 m. The remaining 12% of observations are accurate to at least 10 km.

The transcription process can also introduce errors in both identifying the location of individual striae and recording these in the database. Quality control checks have identified obvious “blunders” (e.g. located in the ocean), however it is possible that further errors exist. It should be noted that some observations appear just offshore and likely fall within the

inter-tidal zone. The quality of the base map may also give the impression of error, for example where observations fall on islands that are not recorded. The base map data are of different provenance and, whilst fit for display purposes, are not representative of the “best available” data. It is recommended that detailed interrogation of the database is performed using the raw data.

Finally, the database remains a “work in progress” and whilst we believe that we have captured all primary published striae observations, there will be some observations that have not been included. We would encourage further submissions to enlarge the database, where appropriate.

5. Conclusions

- Research presented here displays one of the largest single databases of striae observations ever compiled, comprising over 5000 individual observations.
- Striae observations have been collated using historic records dating from the 1850s onwards, and published (peer-reviewed) and unpublished literature.
- Striae observations are not uniformly distributed, being strongly clustered around bedrock scoured regions, mountains (e.g. Mourne Mountains, Wicklow, Macgillicuddy’s Reeks) and coastal zones.
- These observations will form the basis of a reconstruction of former ice flow.

Software

Striae data were collated in Microsoft Access before being imported in to ESRI ArcGIS 9.3 for cartographic production and PDF generation.

Data

The author has supplied data in the form of a spreadsheet (CSV text file) used in the production of the accompanying map. This PDF has a ZIP archive embedded within it (stored as a .ZI file extension) containing the data and can be accessed by right-clicking on the “paperclip” icon at the beginning of this section (you will need to save the file and edit the file extension to .ZIP). Whilst the contents of the ZIP file are the sole responsibility of the author, the journal has screened them for appropriateness.

Acknowledgements

We would like to thank Robbie Meehan, Michael Sheehy, Steve Booth and Jaap van der Meer for assistance in collating striae data.

References

- BAKER, V. R. (1981) The geomorphology of Mars, *Progress in Physical Geography*, 5, 473–513.
- CHANDLER, J. and BRUNSDEN, D. (1995) Steady state behaviour of the Black Ven mudslide: the application of archival analytical photogrammetry to studies of landform change, *Earth Surface Processes and Landforms*, 20, 255–275.
- CHAPMAN, R. J. (1970) The late-Weichselian glaciations of the Erne Basin, *Irish Geography*, 6, 151–161.
- CHARLESWORTH, J. K. (1924) The glacial geology of the north-west of Ireland, *Proceedings of the Royal Irish Academy*, 34B, 174–314.
- CHARLESWORTH, J. K. (1928) The glacial geology of North Mayo and West Sligo, *Proceedings of the Royal Irish Academy*, 38B, 100–115.
- CHARLESWORTH, J. K. (1929) The glacial retreat in Iar Connacht, *Proceedings of the Royal Irish Academy*, 39B, 95–106.

- CHEW, D. (2005) 1:2,500 Geological Map of South Achill Island and Achill Beg, Western Ireland, *Journal of Maps*, v2005, 18–29.
- CLARK, C. D. (1997) Reconstructing the evolutionary dynamics of palaeo-ice sheets using multi-temporal evidence, remote sensing and GIS, *Quaternary Science Reviews*, 16, 1067–1092.
- CLARK, C. D. and MEEHAN, R. T. (2001) Subglacial bedform geomorphology of the Irish Ice Sheet reveals major configuration changes during growth and decay, *Journal of Quaternary Science*, 16, 483–496.
- CLOSE, M. H. (1867a) Notes on the General Glaciation of Ireland, *Journal of the Royal Geographical Society of Ireland*, 1, 207–242.
- CLOSE, M. H. (1867b) Notes on the general glaciation of the rocks in the neighbourhood of Dublin, *Journal of the Royal Geological Society of Ireland*, 11, 3–12.
- COLE, C. A. G., KILROE, J. R., HALLISSY, T. and NEWELL ARBER, E. A. (1914) *The Geology of Clare Island, County Mayo*, Geological Survey of Ireland, Dublin.
- COLHOUN, E. A. (1970) On the nature of the glaciations and the final deglaciation of the Sperrin Mountains and adjacent areas in the North of Ireland, *Irish Geography*, 6, 162–185.
- COLHOUN, E. A. (1971) The glacial stratigraphy of the Sperrin Mountains and its relation to the glacial stratigraphy of north-west Ireland, *Proceedings of the Royal Irish Academy*, 71B, 37–52.
- COLHOUN, E. A. (1973) Two Pleistocene sections in south-western Donegal and their relation to the last glaciation of the Glengesh Plateau, *Irish Geography*, 6, 594–609.
- COLHOUN, E. A. and SYNGE, F. M. (1980) The Cirque Moraines at Loughnahanagan, County Wicklow, Ireland, *Proceedings of the Royal Irish Academy*, 80B, 25–45.
- CRUISE, R. J. and BAILY, W. H. (1885) Explanatory memoir to accompany sheet 58 of the maps of the Geological Survey of Ireland, illustrating parts of the counties of Armagh, Fermanagh, and Monaghan (with palaeontological notes by WH Baily), Dublin.

- CULLETON, E. B. (1978) Limits and directions of ice movements in south County Wexford, *Journal of Earth Sciences of the Royal Dublin Society*, 1, 33–39.
- DARDIS, G. F. (1982) Sedimentological aspects of the quaternary geology of South-Central Ulster Northern Ireland, Ph.D. thesis, University of Ulster.
- DU NOYER, G. V. (1861) Explanations to accompany sheet 193 of the map of the Geological Survey of Ireland, illustrating part of the counties of Cork and Kerry, Dublin.
- DWERRYHOUSE, A. R. (1923) The glaciation of north-eastern Ireland, *Quarterly Journal of the Geological Society*, 79, 352–421.
- EGAN, F. W. and BAILY, W. H. (1877) Explanatory memoir to accompany sheet 59 of the Geological Survey of Ireland, including the districts of Newtown Hamilton, Keady and Castle Blayney (with palaeontological notes by WH Baily), .
- EGAN, F. W., KILROE, J. R., MITCHELL, W. F. and BAILY, W. H. (1888) Explanatory memoir to accompany sheet 24 of the maps of the Geological Survey of Ireland, comprising portions of the counties Donegal and Tyrone (with palaeontological notes by WH Baily), Dublin.
- EVANS, I. S. (1977) World-wide variations in the direction and concentration of cirque and glacier aspects, *Geografiska Annaler*, 59A, 151–175.
- FARRINGTON, A. (1936) The glaciation of the Bantry Bay district, *Scientific Proceedings of the Royal Dublin Society*, 21, 345–361.
- FARRINGTON, A. (1954) A note on the correlation of the Kerry-Cork glaciations with those of the rest of Ireland, *Irish Geography*, 3, 47–53.
- FARRINGTON, A. (1965) The last glaciation in the Burren, Co. Clare, *Proceedings of the Royal Irish Academy*, 65B, 33–39.
- FINCH, T. F. and RYAN, P. (1966) Soils of County Limerick, *Soil Survey Bulletin No. 16, An Foras Talntais*, Dublin.
- FINCH, T. F. and SYNGE, F. M. (1966) The drifts and soils of west Clare and the adjoining parts of Counties Kerry and Limerick, *Irish Geography*, 5, 161–172.

- FOOT, F. J. and O'KELLY, J. (1865) Explanation to accompany sheets 98, 99, 108 and 109 of the one-inch map of the Geological Survey of Ireland, Dublin.
- FORD, J. P. (1984) Mapping of glacial landforms from Seasat radar images, *Quaternary Research*, 22, 314–327.
- GEOLOGICAL SURVEY OF IRELAND (1869-1890) Sheets 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 23, 24, 25, 26, 27, 29, 30, 31, 32, 33, 34, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 52, 53, 54, 55, 56, 57, 58, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 73, 74, 75, 76, 77, 78, 79, 80, 83, 84, 85, 93, 103, 104, 105 [map]. 1:63,360. Geological Map Series One Inch, Geological Survey of Ireland, Dublin.
- GEOLOGICAL SURVEY OF IRELAND (2007) Striae observations, Quaternary and Geotechnical Section.
- GOLD, D. P., PARIZEK, R. R. and ALEXANDER, S. A. (1973) Analysis and application of ERTS-1 data for regional geological mapping, In *Proceedings of the First Symposium of Significant Results obtained from the Earth Resources Technology Satellite-1, NASA*, pp. SP-327, 1, A, 231–246.
- HALLISSY, T. (1914) Clare Island Survey 7. Geology, *Proceedings of the Royal Irish Academy*, 31B, 1–22.
- HILL, A. R. and PRIOR, D. B. (1968) Directions of ice movement in north-east Ireland, *Proceedings of the Royal Irish Academy*, 66B, 71–84.
- HOARE, P. G. (1975) The pattern of glaciation of County Dublin, *Proceedings of the Royal Irish Academy*, 75B, 207–224.
- HOOKE, J. M., HORTON, B. P., MOORE, J. and TAYLOR, M. P. (1994) Upper River Severn (Caersws) Channel Study. Report to the Countryside Council for Wales, University of Portsmouth.
- HULL, E. (1878) *The physical geology and geography of Ireland*, Edward Stanford, London.
- HULL, E. and BAILY, W. H. (1876) Explanatory memoir to accompany sheets 21, 28 and 29 of the maps of the Geological Survey of Ireland, including the country around Antrim, Larne and Carrickfergus (with palaeontological notes by WH Baily), Geological Survey of Ireland, Dublin.

- HULL, E. and BAILY, W. H. (1881) Explanatory memoir to accompany sheets 60, 61 and part of 71 of the maps of the Geological Survey of Ireland including the country around Newry, Rathfryland and Rostrevor, in the County of Down; and the Mourne mountains (with palaeontological notes by WH Baily), Geological Survey of Ireland, Dublin.
- HULL, E., CRUISE, R. J. and BAILY, W. H. (1871) Explanatory memoir to accompany sheets 91 and 92 of the maps of the Geological Survey of Ireland, illustrating parts of the Counties of Meath, Louth and Dublin (with palaeontological notes by WH Baily), Geological Survey of Ireland, Dublin.
- HULL, E., CRUISE, R. J. and HATCH, F. H. (1888) Explanatory memoir to accompany sheets 138 and 139 of the map of Ireland (with an account of the mines by RJ Cruise and notes on the igneous rocks by FH Hatch), Geological Survey of Ireland, Dublin.
- HULL, E., KILROE, J. R., MITCHELL, W. F., BAILY, W. H. and HYLAND, J. S. (1891a) Explanatory memoir to accompany the maps of south-west Donegal, sheets 22, 23, 30 and 31 (in part) of the Geological Survey of Ireland (with palaeontological notes by WH Baily and petrographical notes by JS Hyland), Geological Survey of Ireland, Dublin.
- HULL, E., KINAHAN, G. H., NOLAN, J., CRUISE, R. J., EGAN, F. W., HYLAND, J. S., KILROE, J. R., MITCHELL, W. F. and M'HENRY, A. (1891b) Explanatory memoir to accompany sheets 3, 4, 5 (in part), 9, 10, 11 (in part), 15 and 16 of the maps of the Geological Survey of Ireland, comprising north-west and central Donegal (with petrographical notes by JS Hyland), Geological Survey of Ireland, Dublin.
- HULL, E., NOLAN, J., CRUISE, R. J., M'HENRY, A. and HYLAND, J. S. (1890) Explanatory memoir of Inishowen, County Donegal, to accompany sheets 1, 2, 5, 6 and 11 (in part) of the maps of the Geological Survey of Ireland (with petrographical notes by JS Hyland), Geological Survey of Ireland, Dublin.
- JORDAN, C. (2002) An holistic approach to mapping the quaternary geology and reconstructing the last glaciation of west County Mayo, Ireland, using satellite remote sensing and 'conventional' mapping techniques, Ph.D. thesis, University of London.
- JUKES, J. B. and BAILY, W. H. (1864) Explanation to accompany sheet 192 and part of sheet 199 of the maps of the Geological Survey of

- Ireland, illustrating part of the counties of Cork and Kerry (with palaeontological notes on these and on sheets 191,193,198,200 and 205 by WH Bailey), Geological Survey of Ireland, Dublin.
- JUKES, J. B. and DU NOYER, G. V. (1859) Explanations to accompany sheet 184 of the maps of the Geological Survey of Ireland, illustrating part of the County of Kerry, Geological Survey of Ireland, Dublin.
- JUKES, J. B. and DU NOYER, G. V. (1861) Explanations to accompany sheets 185 and 186 of the maps of the Geological Survey of Ireland, illustrating parts of the Counties of Kerry and Cork, Geological Survey of Ireland, Dublin.
- JUKES, J. B. and KINAHAN, G. H. (1861) Explanations to accompany sheets 200, 203, 204 and 205 and part of 199 of the map of the Geological Survey of Ireland illustrating part of the County of Cork, Geological Survey of Ireland, Dublin.
- JUKES, J. B., KINAHAN, G. H., O'KELLY, J. and BAILY, W. H. (1860) Explanations to accompany sheets 197-198 and the south east portion of 191, of the maps of the Geological Survey of Ireland (with palaeontological notes by WH Baily), Geological Survey of Ireland, Dublin.
- KILROE, J. R. (1888) Directions of ice-flow in the north of Ireland, as determined by the observations of the Geological Survey, Quarterly Journal of the Geological Society, 44, 827-833.
- KINAHAN, G. H. (1869) Explanation to accompany sheet 105, with that portion of sheet 114 that lies on the north of Galway Bay, of the Geological Survey of Ireland, Geological Survey of Ireland, Dublin.
- KINAHAN, G. H. and BAILY, W. H. (1865) Explanation to accompany sheets 115 and 116 of the maps of the Geological Survey of Ireland illustrating a portion of the Counties of Galway, Clare and Tipperary (with palaeontological notes by WH Baily), Geological Survey of Ireland, Dublin.
- KINAHAN, G. H., FOOT, F. J. and SYMES, R. G. (1867) Explanations to accompany sheets 96, 97, 106 and 107 of the maps of the Geological Survey of Ireland, illustrating parts of the counties of Galway and Roscommon, Geological Survey of Ireland, Dublin.

- KINAHAN, G. H., LEONARD, H. and CRUISE, R. J. (1871)
Explanatory memoir to accompany sheets 104 and 113 with the adjoining portions of sheets 103 and 122 (Kilkieran and Aran Sheets), of the Geological Survey of Ireland, illustrating a portion of the County of Galway, Geological Survey of Ireland, Dublin.
- KINAHAN, G. H., NOLAN, J. and BAILY, W. H. (1870)
Explanation to accompany sheet 95 of the map of the Geological Survey of Ireland, illustrating parts of the Counties of Galway and Mayo (with palaeontological notes by WH Baily), Geological Survey of Ireland, Dublin.
- KINAHAN, G. H., NOLAN, J., LEONARD, H., CRUISE, R. J. and BAILY, W. H. (1878) Explanatory memoir to accompany sheets 93 and 94 with the adjoining portions of sheets 83,84 and 103 of the maps of the Geological Survey of Ireland, Connemara (with palaeontological notes by WH Baily), Geological Survey of Ireland, Dublin.
- KINAHAN, G. H., SYMES, R. G., WILKINSON, S. B., NOLAN, J., BAILY, W. H. and LEONARD, H. (1876) Explanatory memoir to accompany sheets 73 and 74 (in part), 83 and 84 of the maps of the Geological Survey of Ireland (with palaeontological notes by WH Baily), Geological Survey of Ireland, Dublin.
- KINAHAN, G. H., WILKINSON, S. B., NOLAN, J., EGAN, F. W. and HYLAND, J. S. (1889) Explanatory memoir to accompany sheet 17 and SE Portion of sheet 11 of the maps of the geological Survey of Ireland (with petrographical notes by JS Hyland), Geological Survey of Ireland, Dublin.
- KLEMAN, J. (1990) On the use of glacial striae for reconstruction of palaeo-ice sheet flow patterns, *Geografiska Annaler*, 72A, 217–236.
- KLEMAN, J. and BORGSTRÖM, I. (1996) Reconstruction of palaeo-ice sheets: the use of geomorphological data, *Earth Surface Processes and Landforms*, 21, 893–909.
- KNIGHT, J. (1997) Glacial sedimentology and the conservation of sand and gravel resources in the Omagh Basin, southwestern Northern Ireland, Ph.D. thesis, University of Ulster.
- KNIGHT, J. (1998) Problems of stability and drainage of ice masses, as surficial sediments, and applications to the late Weichselian glacial event in the north of Ireland, *Zeitschrift für Geomorphologie*, 42, 57–73.

- KNIGHT, J. (2003) Geomorphic evidence for patterns of Late Midlandian ice advance and retreat in the Omagh Basin, *Irish Geography*, 36, 1–22.
- LAMPLUGH, G. W., KILROE, J. R., M’HENRY, A., SEYMOUR, H. J., MUFF, H. B. and WRIGHT, W. B. (1904) The geology of the country around Belfast : Explanation of the Belfast colour-printed drift map, Geological Survey of Ireland, Dublin.
- LAMPLUGH, G. W., WILKINSON, S. B., KILROE, J. R., M’HENRY, A. and WRIGHT, W. B. (1907) The geology of the country around Limerick : Explanation of Limerick district drift map, comprising parts of one-inch sheets 143 and 144, Geological Survey of Ireland, Dublin.
- LEONARD, H. and BAILY, W. H. (1878) Explanatory memoir to accompany sheets 68 and 69 of the maps of the Geological Survey of Ireland, illustrating parts of the Counties of Cavan, Leitrim, and Monaghan (with palaeontological notes by WH Baily), Geological Survey of Ireland, Dublin.
- MCCABE, A. M. (1969) The glacial deposits of the Maguiresbridge area, County Fermanagh, Northern Ireland, *Irish Geography*, 6, 63–77.
- MCCABE, A. M. (1972) Directions of Late-Pleistocene ice-flows in eastern Counties Meath and Louth, Ireland, *Irish Geography*, 6, 443–461.
- MCCABE, A. M. (1998) Striae at St Mullin’s Cave, County Kilkenny, southern Ireland: their origin and chronological significance, *Geomorphology*, 23, 91–96.
- MCCABE, A. M., CARTER, R. W. G. and HAYNES, J. R. (1994) A shallow marine emergent sequence from the northwestern sector of the last British ice sheet, Portballintrae, Northern Ireland, *Marine Geology*, 117, 19–34.
- MCCABE, A. M. and CLARK, P. U. (2003) Deglacial chronology from County Donegal, Ireland: Implications for deglaciation of the British-Irish Ice Sheet, *Journal of the Geological Society of London*, 160, 847–855.
- MCCABE, A. M., EYLES, N., HAYNES, J. R. and BOWEN, D. Q. (1990) Biofacies and sediments in an emergent Late Pleistocene glaciomarine sequence, Skerries, east central Ireland, *Marine Geology*, 94, 23–36.

- MCCABE, A. M., HAYNES, J. R. and MACMILLAN, N. (1986) Late-Pleistocene tidewater glaciers and glaciomarine sequences from north County Mayo, Republic of Ireland, *Journal of Quaternary Science*, 1, 73–84.
- MCCABE, A. M. and HOARE, P. G. (1978) The Late Quaternary history of east-central Ireland, *Geological Magazine*, 115, 397–413.
- MCCABE, A. M., KNIGHT, J. and MCCARRON, S. G. (1999) Ice-flow stages and glacial beforms in north central Ireland: a record of rapid environmental change during the last glacial termination, *Journal of the Geological Society of London*, 156, 63–72.
- MCCABE, A. M. and O’COFAIGH, C. (1995) Late Pleistocene morainal bank facies at Greystones, eastern Ireland: An example of sedimentation during ice marginal re-equilibration in an isostatically depressed basin, *Sedimentology*, 42, 647–663.
- MCCARRON, S. G. (2000) Late Devensian glaciation of the north of Ireland, Ph.D. thesis, University of Ulster.
- MCMANUS, J. (1967) The influence of Pleistocene glaciation on the geomorphology of eastern Murrisk, Co. Mayo, *Scientific Proceedings of the Royal Dublin Society Series A*, 3, 17–31.
- MEEHAN, R. T. (1999) Directions of ice flow during the last glaciation in counties Meath, Westmeath and Cavan, *Irish Geography*, 32, 26–51.
- NOLAN, J. and BAILY, W. H. (1877) Explanatory memoir to accompany sheet 70 of the maps of the Geological Survey of Ireland, including the country around Dundalk and Carrickmacross (with palaeontological notes by WH Baily), Geological Survey of Ireland, Dublin.
- NOLAN, J. and BAILY, W. H. (1884) Explanatory memoir to accompany sheet 26 of the maps of the Geological Survey of Ireland, comprising portions of the counties Tyrone and Londonderry (with palaeontological notes by WH Baily), Geological Survey of Ireland, Dublin.
- ORME, A. R. (1967) Drumlins and the Weichsel Glaciation of Connemara, *Irish Geography*, 5, 262–274.

- SMITH, M. J. (2007) Striae Observations, Personal communication, 5 June 2007.
- SUTTON, B. (1998) Glacial landforms and sedimentology and Late Pleistocene evolution of the Mourne Mountains, Northern Ireland., Ph.D. thesis, University of Ulster.
- SYMES, R. G. and BAILY, W. H. (1872) Explanatory memoir to accompany sheet 75 of the maps of the Geological Survey of Ireland, illustrating a portion of the County of Mayo (with palaeontological notes by WH Baily), Geological Survey of Ireland, Dublin.
- SYMES, R. G. and BAILY, W. H. (1879) Explanatory memoir to accompany sheets 41, 53 and 64 of the maps of the Geological Survey of Ireland; including the country around Ballina, Crossmolina, Killala, Foxford and Ballycastle (with palaeontological notes by WH Baily), Geological Survey of Ireland, Dublin.
- SYMES, R. G. and BAILY, W. H. (1891) Explanatory memoir to accompany sheet 31 (in part) and 32 of the maps of the Geological Survey of Ireland (with palaeontological notes by WH Baily and petrographical notes by JJH Teall), Geological Survey of Ireland, Dublin.
- SYMES, R. G., KILROE, J. R. and BAILY, W. H. (1880a)
Explanatory memoir to accompany sheet 54, and the south-west portion of 42 of the maps of the Geological Survey of Ireland, illustrating parts of the Counties of Sligo and Mayo (with palaeontological notes by WH Baily), Geological Survey of Ireland, Dublin.
- SYMES, R. G., TRAILL, W. A. and M'HENRY, A. (1881a)
Explanatory memoir to accompany sheets 39,40,51,52 and northern portion of 62 of the maps of the Geological Survey of Ireland, Geological Survey of Ireland, Dublin.
- SYMES, R. G., WILKINSON, S. B. and BAILY, W. H. (1886)
Explanatory memoir to accompany sheet 44 of the maps of the Geological Survey of Ireland, including portions of Counties Fermanagh, Leitrim and Cavan (with palaeontological notes by WH Baily), Geological Survey of Ireland, Dublin.
- SYMES, R. G., WILKINSON, S. B., KILROE, J. R. and BAILY, W. H. (1881b) Explanatory memoir to accompany sheet 65 of the maps of the Geological Survey of Ireland, including the country around

- Tobercurry, Swineford, Bellahy, Charlestown, in the Counties of Sligo and Mayo (with palaeontological notes by WH Baily), Geological Survey of Ireland, Dublin.
- SYMES, R. G., WILKINSON, S. B. and M'HENRY, A. (1880b) Explanatory memoir to accompany sheet 63 and the northern half of 74 of the Geological Survey of Ireland, illustrating districts in the county of Mayo, Geological Survey of Ireland, Dublin.
- SYNGE, F. M. (1952) Retreat stages of the last ice sheet of the British Isles, *Irish Geography*, 2, 168–171.
- SYNGE, F. M. (1964) Some problems concerned with the glacial succession in south-east Ireland, *Irish Geography*, 5, 73–82.
- SYNGE, F. M. (1968) The glaciation of west Mayo, *Irish Geography*, 5, 372–386.
- SYNGE, F. M. (1969) The Würm ice limit in the west of Ireland, In *Quaternary Geology and Climate* (Ed., WRIGHT, H. J.), National Academy of Sciences, Washington D.C., pp. 89–92.
- SYNGE, F. M. (1970) The Irish Quaternary: current views 1969, In *Irish Geographical Studies in honour of E. Estyn Evans* (Eds., STEPHENS, N. and GLASSCOCK, R.), Queens University Belfast, pp. 34–48.
- SYNGE, F. M. (1973) The glaciation of south Wicklow and the adjoining parts of the neighbouring counties, *Irish Geography*, 6, 561–569.
- THOURET, J. C. (1999) Volcanic geomorphology: an overview, *Earth Science Reviews*, 47, 95–131.
- TRAILL, W. A. and BAILY, W. H. (1878) Explanatory memoir to accompany part of sheets 60 and 71 of the maps of the Geological Survey of Ireland, including the district of the Carlingford mountains and the shores of Carlingford Lough and Dundalk Bay, Counties of Lough and Armagh (with palaeontological notes), Geological Survey of Ireland, Dublin.
- TRAILL, W. A. and EGAN, F. W. (1871) Explanatory memoir to accompany sheet 49, 50 and part of 61 of the maps of the Geological Survey of Ireland, including the country around Downpatrick, and the shores of Dundrum bay and Strangford Lough, County of Down, Geological Survey of Ireland, Dublin.

- VERNON, P. (1966) Drumlins and pleistocene ice flow over the Ards Peninsula/Strangford Lough area, County Down, Ireland, *Journal of Glaciology*, 6, 401–409.
- WARREN, W. P. (1991) Glacial deposits of south west Ireland, In *Glacial deposits in Great Britain and Ireland*. (Eds., EHLERS, J., GIBBARD, P. and ROSE, J.), Balkema, Rotterdam, pp. 345–353.
- WARREN, W. P. and HORTON, A. (1991) Mapping glacial deposits in Britain and Ireland, In *Glacial deposits in Great Britain and Ireland*. (Eds., EHLERS, J., GIBBARD, P. and ROSE, J.), Balkema, Rotterdam, pp. 379–387.
- WELCH, R. and HOWARTH, P. J. (1968) Photogrammetric measurements of glacial landforms, *Photogrammetric Record*, 6, 75–96.
- WILKINSON, S. B., CRUISE, R. J. and BAILY, W. H. (1886) Explanatory memoir to accompany sheet 56 of the maps of the Geological Survey of Ireland, including Swanlibar, Florence Court and Dowra (with palaeontological notes by WH Baily), Geological Survey of Ireland, Dublin.
- WILKINSON, S. B., EGAN, F. W., KILROE, J. R. and BAILY, W. H. (1887) Explanatory memoir to accompany sheet 25 of the maps of the Geological Survey of Ireland (with palaeontological notes by WH Baily), Geological Survey of Ireland, Dublin.
- WILKINSON, S. B., KILROE, J. R. and BAILY, W. H. (1881) Explanatory memoir to accompany sheet 57 of the Geological Survey of Ireland, including parts of Fermanagh Monaghan and Cavan (with palaeontological notes by WH Baily), Geological Survey of Ireland, Dublin.
- WILKINSON, S. B., M'HENRY, A., KILROE, J. R. and SEYMOUR, H. J. (1908) The geology of the country around Londonderry (explanation of Londonderry district special sheet, comprising parts of one-inch sheets 11, 12, 17, 18), Geological Survey of Ireland, Dublin.
- WILSON, H. E., ROBBIE, J. A., BULLERWELL, W., KNILL, D. C., MCALLISTER, J. S. V., MCCONAGHY, S. and SABINE, P. A. (1966) Geology of the country around Ballycastle (one inch sheet 8), Geological Survey of Ireland, Belfast.

WRIGHT, W. B. (1904) The pre-glacial raised beach of the south coast of Ireland, *Scientific Proceedings of the Royal Dublin Society*, 10, 250–307.

WRIGHT, W. B. (1912) The drumlin topography of south Donegal, *Geological Magazine*, 9, 153–159.

WRIGHT, W. B. (1920) Minor periodicity in glacial retreat, *Proceedings of the Royal Irish Academy*, 35B, 93–105.

WRIGHT, W. B., COLE, G. A. J., GRENVILLE, A. J. and HALLISSY, T. (1927) *The geology of Killarney and Kenmare* 2nd Edition, Geological Survey of Ireland, Dublin.

WYNNE, A. B. and BAILY, W. H. (1885) Explanatory memoir to accompany sheet 42 and 43 of the maps of the Geological Survey of Ireland, comprising portions of the Counties of Sligo and Leitrim (with palaeontological notes by WH Baily), Geological Survey of Ireland, Dublin.